



EBERLE

EBERLE

Product Program

Shaver System C3

Knee

Shoulder

Hip

Small Joints

Rinsing Systems and Accessories

Optical Systems

Mobile Carrier System and Accessories

Shaver Blades for Third-Party Systems

Arthrex, Conmed/Linvatec, Smith & Nephew/Dyonics, Aesculap

Shaver System C3



Control unit

- Panel to control motor-powered EBERLE C3 handpieces
- Resistive 5-inch touch display with automatic brightness adjustment
- Additional softkeys to set basic functions
- Selectable start-up behaviour for handpieces (soft, medium and hard)
- Freely programmable memory areas to define user-related or use-oriented settings
- User-specific assignment of control elements on handpiece and footswitch
- Rotational speed range 300 – 10,000 min⁻¹
- Tapping-mode for Universal handpiece

Accessories

- Handpieces of various housing materials, with and without manual operation
- Universal handpiece with various attachments for drilling and sawing
- Single-use and reusable shaver blades
- 5-button footswitch





Video:





Control unit C3







Shaver System

Control unit

article no. 913055

Footswitch

article no. 913057

Handpiece

article no.

913066 8k

913070 10k

320 g + 4 m cable

casing material aluminum

article no.

913068 8k

913080 10k

450 g + 4 m cable

casing material stainless steel

Handpiece,

manual operation

article no.

913067 8k

913071 10k

380 g + 4 m cable

casing material aluminum

article no.

913069 8k

913081 10k

540 g + 4 m cable

casing material stainless steel

Small Joint

Handpiece

article no.

913065SJ

185 g + 4 m cable

casing material aluminum

Control unit

- Panel to control motor-powered EBERLE C3 handpieces
- 5-inch touch display
- Automatic brightness adjustment
- Softkeys for basic functions
- Adjustable oscillation
- Oscillation mode: revolutions or frequency
- User-specific assignment of the control elements for the footswitch as well as for the handpiece
- Individual acceleration behaviour
- User name editable
- Ergonomic 5-button footswitch

Handpiece

- ergonomically shaped handpiece, autoclavable
- micro-processor controlled drive motor

Handpiece, manual operation

- ergonomically shaped handpiece, autoclavable
- micro-processor controlled drive motor
- manual operation of several functions



Speed ranges	Handpiece 8k	Handpiece 10k
Cutting	300–4000 min ⁻¹	500–4000 min ⁻¹
Oscillation	500–4000 min ⁻¹	500–4000 min ⁻¹
Burring	500–8000 min ⁻¹	500–10000 min ⁻¹

Small Joint Handpiece

article no. 913065SJ

- ergonomically shaped handpiece, autoclavable
- micro-processor controlled drive motor
- speed ranges:
 - rotation 500 – 6000 min⁻¹
 - oscillation 500 – 4000 min⁻¹



Footswitch

article no. 913057

- user-friendly, ergonomic 5-button footswitch



Cleaning adapter

for EBERLE shaver handpieces

article no. 100020



Brushes

for EBERLE handpieces

Cleaning brush, bent tip
length: 150 mm
article no. 011001-301

Cleaning brush with eyelet
length: 150 mm
article no. 011001-302

Cleaning brush, rounded tip
length: 300 mm
article no. 011001-300



Universal handpiece for manual operation

- casing material aluminium
- weight 750 g + 4 m cable
- ergonomically shaped handpiece, autoclavable
- micro-processor controlled drive motor
- manual operation of anticlockwise/clockwise rotation
- speed range: 0 – 1500 min⁻¹, infinitely variable



Universal handpiece
article no. 913075

Wire driver adapter
article no. 913026
article no. 913034

AO Drill adapter
article no. 913044

Drill chuck adapter
article no. 913027
article no. 913019
article no. 913022

Sagittal saw adapter
article no. 913024

Cleaning adapter for Universal handpiece

article no. 100025

Modular attachments for Universal handpiece

Wire driver adapter

article no. 913026

- receptacle for 1.8 – 3.2 mm

article no. 913034

- receptacle for 0.6 – 1.8 mm

AO Drill adapter

article no. 913044

- receptacle for standard AO

Drill chuck adapter

article no. 913027

- receptacle for 0.7 – 7.4 mm

Drill chuck adapter, high-power

article no. 913019

- receptacle for 0.7 – 7.4 mm
- rotational speed 0 – 500 min⁻¹

Drill chuck adapter

article no. 913022

- receptacle for 0 - 3 mm, keyless

Sagittal saw adapter

article no. 913024

- oscillation frequency 0 – 22.500 cycl./min.

Cleaning adapter for modular attachments

article no. 100026



Variety of the Shaver Blades C3













Shaver Blades Reusable



effective length 130 mm








Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	9131135	9131142	9131148	9131155	
	Full Radius Resector Sharp Cut		9132742			
	Aggressive Full Radius Resector	9131335	9131342	9131348	9131355	
	Aggressive Full Radius Resector Plus		9133442			
	Double Full Radius Resector		9132542		9132555	
	Double Aggressive Full Radius Resector		9132342		9132355	
	Conical Double Full Radius Resector		9132442			
	Full Radius Resector Small Window		9132242		9132255	
	Meniscus Cutter	9131235	9131242		9131255	
	Aggressive Meniscus Cutter	9131535	9131542	9131548	9131555	

continued on page 1.8

Shaver Blades Reusable




continued from page 1.7

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter Plus		9132142			
	Double Meniscus Cutter		9132642		9132655	
	Aggressive Meniscus Side Cutter	9131435	9131442		9131455	
	Round Burr		9131042 Ø burr 3.0 mm		9131055 Ø burr 4.0 mm	9131065 Ø burr 5.0 mm
	Oval Burr				9131955 Ø burr 4.0 mm	9131965 Ø burr 5.0 mm
	Aggressive Oval Burr				9133855 Ø burr 4.0 mm	9133865 Ø burr 5.0 mm
	Tapered Burr				9131855 Ø burr 4.0 mm	9131865 Ø burr 5.0 mm



effective length 130 mm, 15° bent

Packing unit 5 pieces








		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		9133042		9133055	
	Aggressive Full Radius Resector Cutting window inwards		9133242		9133255	
	Aggressive Meniscus Side Cutter Cutting window outwards		9133142		9133155	

Shaver Blades Reusable



for hip arthroscopy effective length 210 mm

Packing unit 5 pieces


		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Sharp Cut cannulated		9132742H			
	Aggressive Full Radius Resector cannulated		9131342H	9131348H	9131355H	
	Meniscus Cutter cannulated		9131242H		9131255H	
	Aggressive Meniscus Cutter cannulated		9131542H	9131548H	9131555H	
	Aggressive Meniscus Cutter Plus cannulated		9132142H			
	Round Burr				9131055H Ø burr 4.0 mm	
	Oval Burr				9131955H Ø burr 4.0 mm	
	Aggressive Oval Burr				9133855H Ø burr 4.0 mm	

Shaver Blades Reusable



for hip arthroscopy effective length 210 mm, 15° bent




Packing unit 5 pieces


	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Full Radius Resector Cutting window inwards		9133242H		9133255H	



for small joint surgery, effective length 70 mm


Packing unit 5 pieces

	Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
 Full Radius Resector	9131120SJ	9131125SJ	9131135SJ
 Aggressive Full Radius Resector	9131320SJ	9131325SJ	9131335SJ
 Round Burr		9131025SJ	9131035SJ
		Ø burr 1.8 mm	Ø burr 2.5 mm



Cleaning adapter

for reusable
C3 compatible shaver blades
article no. 100001



Cleaning set











article no. 900019

Shaver Blades Single-Use



effective length 130 mm, sterile packaging







Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	9141135	9141142	9141148	9141155	
	Full Radius Resector Sharp Cut		9142742		9142755	
					Burr speed	
	Aggressive Full Radius Resector	9141335	9141342	9141348	9141355	
	Aggressive Full Radius Resector Plus		9143442			
	Double Full Radius Resector		9142542		9142555	
	Double Aggressive Full Radius Resector		9142342		9142355	
	Conical Double Full Radius Resector		9142442			
	Full Radius Resector Small Window		9142242		9142255	
	Meniscus Cutter	9141235	9141242		9141255	
	Aggressive Meniscus Cutter	9141535	9141542	9141548	9141555	

continued on page 1.12

Shaver Blades Single-Use




continued from page 1.11

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter Plus		9142142			
	Double Meniscus Cutter		9142642		9142655	
	Round Burr		9141042 Ø burr 3.0 mm		9141055 Ø burr 4.0 mm	9141065 Ø burr 5.0 mm
	Oval Burr				9141955 Ø burr 4.0 mm	9141965 Ø burr 5.0 mm
	Aggressive Oval Burr				9143855 Ø burr 4.0 mm	9143865 Ø burr 5.0 mm
	Tapered Burr				9141855 Ø burr 4.0 mm	9141865 Ø burr 5.0 mm



effective length 130 mm, 15° bent, sterile packaging

Packing unit 5 pieces









		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		9143042		9143055	
	Aggressive Full Radius Resector Cutting window inwards		9143242		9143255	
	Aggressive Meniscus Side Cutter Cutting window outwards		9143142		9143155	

Shaver Blades Single-Use



for hip arthroscopy, effective length 210 mm, sterile packaging

Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Sharp Cut cannulated		9142742H			
 Aggressive Full Radius Resector cannulated		9141342H	9141348H	9141355H	
 Meniscus Cutter cannulated		9141242H		9141255H	
 Aggressive Meniscus Cutter cannulated		9141542H	9141548H	9141555H	
 Aggressive Meniscus Cutter Plus cannulated		9142142H			
 Round Burr				9141055H Ø burr 4.0 mm	
 Oval Burr				9141955H Ø burr 4.0 mm	
 Aggressive Oval Burr				9143855H Ø burr 4.0 mm	

Shaver Blades Single-Use



for hip arthroscopy, effective length 210 mm, 15° bent, sterile packaging


Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Full Radius Resector Cutting window inwards		9143242H		9143255H	



for hip arthroscopy, effective length 210 mm, 20° bent, sterile packaging




Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Round Burr		9143642H			
		Ø burr 5 mm			



for small joint surgery, effective length 70 mm, sterile packaging

Packing unit 5 pieces

	Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
 Full Radius Resector	9141120SJ	9141125SJ	9141135SJ
 Aggressive Full Radius Resector	9141320SJ	9141325SJ	9141335SJ
 Round Burr		9141025SJ	9141035SJ
		Ø burr 1.8 mm	Ø burr 2.5 mm



	article no.
saw blade 25 x 6 x 0.6 mm cutting thickness 0.6 mm	900092



	article no.
saw blade 21 x 9 x 0.4 mm cutting thickness 0.4 mm	900116



	article no.
saw blade 31 x 11 x 0.4 cutting thickness 0.4 mm	900117



	article no.
saw blade 50 x 14 x 0.6 cutting thickness 0.6 mm	900119



	article no.
Spiral Drill Ø 7 mm 2.2 x 180 mm cannulated shaft: AO ▲	900126
Spiral Drill Ø 8 mm 2.2 x 180 mm cannulated shaft: AO ▲	900125
Spiral Drill Ø 9 mm 2.2 x 180 mm cannulated shaft: AO ▲	900124
Spiral Drill Ø 9 mm 3.8 x 280 mm cannulated shaft: AO ▲	900308
Spiral Drill Ø 10 mm 2.2 x 180 mm cannulated shaft: AO ▲	900123




Packing unit 10 pieces

		article no.
Kirschnerdraht Trocar – round	Ø 0.8 x 150 mm	900108
Kirschnerdraht Trocar – round	Ø 1.0 x 150 mm	900107
Kirschnerdraht Trocar – round	Ø 1.2 x 150 mm	900106
Kirschner wire Trocar – round	Ø 1.2 x 160 mm	900082
Kirschner wire Trocar – round	Ø 1.2 x 310 mm	900112
Kirschner wire Trocar – round	Ø 1.4 x 150 mm	900105
Kirschner wire Trocar – round	Ø 1.6 x 150 mm	900090
Kirschner wire Trocar – round	Ø 1.8 x 150 mm	900089
Kirschner wire Trocar – round	Ø 2.0 x 150 mm	900088
Kirschner wire Trocar – round	Ø 2.0 x 310 mm	900111
Kirschner wire Trocar – round	Ø 2.4 x 310 mm	900086
Kirschner wire Trokar – Trokar	Ø 1.2 x 160 mm	900094
Kirschner wire Trokar – Trokar	Ø 1.2 x 310 mm	900084
Kirschner wire threaded trocar – trocar	Ø 1.2 x 200 mm	900095
Kirschner wire threaded trocar – round	Ø 1.2 x 200 mm	900083
Kirschner wire round – round	Ø 1.5 x 380 mm	900109
Kirschner wire round – round	Ø 1.6 x 230 mm	900028
Kirschner wire round – round	Ø 1.6 x 310 mm	900110

Packing unit 1 piece

		article no.
Drilling wire trocar, knurled with special eyelet	Ø 2.4 x 430 mm	900027
Drilling wire without eyelet	Ø 2.4 x 310 mm	900025
Drilling wire with special eyelet	Ø 2.4 x 380 mm	900026
Switching stick	Ø 4.0 x 230 mm	900085

Knee








Shaver Blades Reusable



effective length 130 mm



Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector	9131135	9131142	9131148	9131155	
 Aggressive Full Radius Resector	9131335	9131342	9131348	9131355	
 Double Aggressive Full Radius Resector		9132342		9132355	
 Aggressive Meniscus Cutter	9131535	9131542	9131548	9131555	
 Round Burr		9131042		9131055	9131065
		Ø burr 3.0 mm		Ø burr 4.0 mm	Ø burr 5.0 mm




effective length 130 mm, 15° bent

Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Meniscus Side Cutter Cutting window outwards		9133142		9133155	
 Aggressive Full Radius Resector Cutting window inwards		9133242		9133255	

Suction Punch

self resetting



	Working length	Article no.
Suction punch handle without suction control		51911
Suction punch handle with suction control		51918
Suction punch blade 3.5	130 mm	51935
Suction punch blade 4.2	130 mm	51942
Suction punch blade 5.5	130 mm	51955
Cleaning mandrel	210 mm	51919

Cleaning Adapter

for suction punch blade

article no. 100013




Cleaning Adapter

for suction punch handle
article no. 51911, 51918 and 51920

article no. 100021

Arthroscopy punches

Optimum cleaning without loss of stability thanks to the additional downward-opening guide in the shaft.



Jaw part height



Width of cut



Jaw part width

Straight

Shaft and jaw part are straight



Upbiter

Jaw part is angled up to allow easier access to the rear part of the meniscus



Upswept

Instrument is curved up at the shaft. It follows the contour of the condyle and keeps the cut surface parallel to the tibial plateau.



Standard handle



Lock handle



Rotatable handle

Duckly punches

A narrow jaw part height combined with a wide jaw ensures optimum freedom of movement up to the rear parts of the knee.



Straight



	Jaw part height	Width of cut	Jaw part width	article no.
Arthroscopy punch, medium, straight	1.93 mm	3.20 mm	5.00 mm	900247
Arthroscopy punch, medium, left-curved	1.93 mm	3.20 mm	5.00 mm	900248
Arthroscopy punch, medium, right-curved	1.93 mm	3.20 mm	5.00 mm	900249
Arthroscopy punch, medium, upswept	1.93 mm	3.20 mm	5.00 mm	900263

Upbiter



	Jaw part height	Width of cut	Jaw part width	article no.
Arthroscopy punch, medium, straight, upbiter	1.93 mm	3.20 mm	5.00 mm	900250

Punches

Narrow

The narrow configuration of the jaw part width combined with a sharp cut allows a high degree of freedom of movement, even in the narrowest of joints and offers many cutting variants.



	Jaw part height	Width of cut	Jaw part width	Article no.
Arthroscopy punch, narrow, straight	1.90 mm	1.67 mm	2.89 mm	900399
Arthroscopy punch, narrow, jaw 45° left-angled	1.50 mm	1.67 mm	2.89 mm	900400
Arthroscopy punch, narrow, jaw 45° right-angled	1.50 mm	1.67 mm	2.89 mm	900401

Oval

Thanks to the oval design of the jaw part, the punch obtains the largest cut with the narrowest tip.



	Jaw part height	Width of cut	Jaw part width	Article no.
Basket punch, oval, straight	1.65 mm	4.39 mm	6.57 mm	900257
Basket punch, oval, left-curved	1.65 mm	4.39 mm	6.57 mm	900432
Basket punch, oval, right-curved	1.65 mm	4.39 mm	6.57 mm	900433
Basket punch, oval, upswept	1.65 mm	4.39 mm	6.57 mm	900434

Oval, upbiter



	Jaw part height	Width of cut	Jaw part width	Article no.
Basket punch, oval, straight, upbiter	1.65 mm	4.39 mm	6.57 mm	900264

Rotary punches

The side opening of the jaw makes it easier to handle the meniscus edge at the hard-to-access anterior horn.



Rotatable handle

	Jaw part height	Width of cut	Jaw part width	Article no.
Rotary punch, 2.2 mm, straight, jaw 90° left-angled	1.60 mm	2.20 mm	4.10 mm	900424
Rotary punch, 2.2 mm, straight, jaw 90° right-angled	1.60 mm	2.20 mm	4.10 mm	900425



	Jaw part height	Width of cut	Jaw part width	Article no.
Arthroscopy punch, retrograde, left cut	3.93 mm	2.30 mm	5.58 mm	900453
Arthroscopy punch, retrograde, right cut	3.93 mm	2.30 mm	5.58 mm	900454

Scissors

The hook teeth at the tip of the instrument prevent the tissue from slipping away and enable a clean cut.



	Working length	Article no.
Hook scissors straight	125 mm	900422

Grasping forceps

The grasping forceps in their various configurations offer a comprehensive range of options for grasping tissue in any joint area.



Slide-Lock handle

	Working length	Article no.
Grasping forceps "Alligator" 2.7 mm, straight	125 mm	900423
Grasping forceps "Alligator" 3.4 mm, straight	125 mm	900288

Bioresorbable Interference Screws



continuous screw thread

Packing unit 5 pieces


	article no.		article no.
Ø 7 20 mm	900071	Ø 9 25 mm	900076
Ø 7 25 mm	900072	Ø 10 25 mm	900077
Ø 8 20 mm	900073	Ø 10 30 mm	900078
Ø 8 25 mm	900074	Ø 11 25 mm	900079
Ø 9 20 mm	900075	Ø 11 30 mm	900080

Screw driver




	article no.
Screw driver	900070

Hook probe



Triangular handle

	Working length	Article no.
 Hook probe 3 mm	115 mm	900022
 Hook probe 5 mm	115 mm	900136

Ring curette




Triangular handle

	Working length	Article no.
 Ring curette Ø 3 mm	115 mm	900291
 Ring curette Ø 7 mm	115 mm	900292





Cartilage rasp

Silicone handle/
Triangular handle



	Working length	Handle	Article no.
	115 mm	Silicone	900152
Cartilage rasp	115 mm	Triangle	900293

Knives

	article no.
 Bayonet knife	900296
 Banana knife serrated	900297
 Scalpel	900298
 Rosette knife	900299

Microfracturing/Chondro Pick




	Working length	Article no.
 Chisel 30° pointed tip	125 mm	900147
 Chisel 40° pointed tip	125 mm	900148
 Chisel 60° pointed tip	125 mm	900149

Hammer



Head	Total length	Article no.
Ø 30 mm, 240 g	190 mm	900461

Shoulder







Shaver Blades Reusable



effective length 130 mm

Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Sharp Cut		9132742			
 Aggressive Full Radius Resector Plus		9133442			
 Oval Burr				9131955 Ø burr 4.0 mm	9131965 Ø burr 5.0 mm
 Aggressive Oval Burr				9133855 Ø burr 4.0 mm	9133865 Ø burr 5.0 mm

Shaver Blades Single-Use


Packing unit 5 pieces

Full Radius Resector Sharp Cut 5.5

Bone and tissue resection in one blade



Suture passer




	Working length	Article no.
 Suture passer, side-loader	170 mm	900382
 Suture Passer, front-loader	170 mm	900382-V

Nitinol needle for Suture passer

single-use
sterile packaging, packing unit 6 pieces
article no. 900383




Suture hook




Standard handle

Axial handle

	Working length	article no.	article no.
 Suture hook "Bird Beak" 20° upbiter	155 mm	900429	900390
 Suture hook "Clever Hook" , tip left	155 mm	900318	900316
 Suture hook "Clever Hook" , tip right	155 mm	900319	900317
 Suture hook "Sixter" , tip turned left	155 mm	900322	900320
 Suture hook "Sixter" , tip turned right	155 mm	900323	900321

Suture grasper



Slide-Lock handle

	Working length	Article no.
 serrated, straight shaft	155 mm	900286
 King, cross serrated, straight shaft	155 mm	900325


Tissue grasping forceps

Slide-Lock handle

	Working length	Article no.
 Straight shaft	155 mm	900331
 1 x 2 teeth, Straight shaft	155 mm	900455


Knot pusher with ring Ø 3 mm

Straight shaft




Working length	article no.
155 mm	900283

Suture cutter



	Working length	article no.
 Straight shaft	155 mm	900285
 Straight shaft	155 mm	900329

Hip



Hip-Perfect Burr

by Prof. Dr. med. Stefan Landgraeber

In the arthroscopic treatment of femoroacetabular impingement of the Cam type, precise resection of the bony protrusions on the head-neck junction near the joint is a particular challenge.


In order to avoid under or over-correction, a good overview is needed. While this is normally ensured in the ventral portion of the femoral neck, the overview may be limited during milling at the lateral and especially in posterolateral regions.

The design of the Hip-perfect burr enables a good view even of these hard-to-reach places due to its special curvature and narrow design. The especially machined ball head enables reliable milling in nearly all positions.



Packing unit 5 pieces

shaft diameter	burr diameter	effective length	bend	article no.
4.2 mm	5.0 mm	210 mm	20°	9143642H






Shaver Blades Reusable



for hip arthroscopy, effective length 210 mm


Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Full Radius Resector cannulated		9141342H	9141348H	9141355H	
 Aggressive Meniscus Cutter Plus cannulated		9142142H			
 Round Burr				9141055H Ø burr 4.0 mm	



for hip arthroscopy, effective length 210 mm, 15° bent

Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Aggressive Full Radius Resector Cutting window inwards		9133242H		9133255H	

Hook probe



Length	article no.
215 mm	900430

Cartilage rasp



Length	article no.
215 mm	900431

Arthroscopy punch




	Length	Jaw part height	Width of cut	Jaw part width	article no.
medium, straight, upbiter	220 mm	1.93 mm	3.20 mm	5.00 mm	900443

Ring curette



	Length	article no.
oval, 20° cranked	170 mm	900339





There are various approaches in the treatment of osteonecrosis of the femoral head which use autologous cancellous bone. Many of these procedures involve drilling the area of necrotic bone (core decompression), and some also include additional evacuation of the necrotic bone.

The Piloted Bone Trepine is a useful supplementary instrument for core decompression which enables simpler and safe removal of cancellous bone from the femoral neck without further OP trauma.

**PBT Spongiosa Removal
 Instrument Set**

article no. 710020

- 
 - **Handle with locking pin**
 article no. 710000


- 
 - **Extraction tube**
 inner-Ø 8 mm
- 
 - **Filling tube**
- 
 - **Tube-set** (sterile packaging)
 single-use
 article no. 710021

- 
 - **Tissue protection tube**
 inner-Ø 11 mm
 length 150 mm
 article no. 710005

- 
 - **Introducer**
 article no. 710002


- 
 - **Pusher**
 article no. 710003

- 
 - **Curette for sampling**
 length 250 mm
 width 5.5 mm
 article no. 710006 ¹⁾

- 
 - **Guide wire drill Ø 3.2 mm**
 length 280 mm
 article no. 900307 ¹⁾

- 
 - **Drill Ø 9 mm**
 cannulated Ø 3.8 mm
 length 280 mm
 article no. 900308 ¹⁾

- 
 - **Hammer** (optional)
 weight 240 g
 Ø 30 mm
 length 190 mm
 article no. 900461 ¹⁾

- 
 - **Ring curette** (optional)
 oval, 20° cranked
 length 170 mm
 article no. 900339 ¹⁾

- 
 - **Immersion basket** (without instruments)
 article no. 900312 ¹⁾

¹⁾ distributed by Eberle GmbH & Co. KG

Small Joints






Shaver Blades Reusable



for small joint surgery, effective length 70 mm

Packing unit 5 pieces

	Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
 Full Radius Resector	9131120SJ	9131125SJ	9131135SJ
 Aggressive Full Radius Resector	9131320SJ	9131325SJ	9131335SJ
 Round Burr		9131025SJ	9131035SJ
		Ø burr 1.8 mm	Ø burr 2.5 mm

Suction Punch

self-resetting
for small joint surgery



	Working length	article no.
Suction punch handle with suction control	100 mm	51920

Cleaning adapter

for suction punch blades

article no. 100013



Cleaning adapter

for suction punch handles
article no. 51911, 51918 and 51920


article no. 100021



SJ punches

This selection of instruments has been put together specifically for small joints. Shorter shafts as well as smaller jaw parts offer ideal access for elbows, wrists, and ankles.

Optimum cleaning without loss of stability thanks to the additional downward-opening guide in the shaft.



Straight

Shaft and jaw part are straight



Upbiter

Jaw part is angled up to allow easier access to the rear part of the meniscus



Upswept

Instrument is curved up at the shaft. It follows the contour of the condyle and keeps the cut surface parallel to the tibial plateau.





Standard handle



Lock handle

SJ punches



	Jaw part height	Width of cut	Jaw part width	article no.
 Basket punch jr. oval, straight	1.20 mm	2.30 mm	3.50 mm	900327
 Arthroscopy punch jr. straight	1.20 mm	2.30 mm	3.50 mm	900328
 Basket punch jr. blunt, straight	1.70 mm	1.70 mm	3.00 mm	900326


Grasping forceps



	Working length	Article no.
Rongeur Raptor Jr.	95 mm	900287

Grasping forceps "Alligator jr.", straight

article no. 900289



Hook Probe, Small Joint

Tip 3 mm, effective length 70 mm
article no. 900355



Rinsing Systems and Accessories





Inflow Pump P2

- flow rate adjustable from 0.2 l/min. – 1.5 l/min.
- pressure adjustable from 10 mmHg – 200 mmHg
- pressure and flow rate can be adjusted independently
- fast reaction to pressure fluctuations by optimized control and powerful stepper motor
- user-friendly and simple inserting of the tube
- comfortable filling of the reservoir without fluid loss
- rinsing function

The tube system can be obtained as

- two-piece variant, consisting of Day tubing set and Patient-attachment tube
- one-piece Complete set


- Arthroscopy Pump P2
article no. 913031

	article no.
Day tubing set for arthroscopy	900154
Patient-attachment tube with Luer Lock	900153
Complete set for arthroscopy	900209




- **Pump tubing (Arthrex) for bags with swivel connection**
article no. 900359

Packing unit 20 pieces



- **Patient connection tube (Arthrex)**
article no. 900360

Packing unit 20 pieces



- **Pump tubing (Arthrex) for bags with piercing spike**
article no. 900358

Packing unit 20 pieces

Ardo OP-Suction Pump and Accessories



- **High performance vacuum pump portable, Ardo Master 50 l/min**
article no. 900342



- **Rolling rack with equipment rail for Ardo Master**
article no. 900343



- **Hydrophobic bacteria filter for Ardo Master**
article no. 900344



- **Secretion bottle 5 liters for Ardo Master**
article no. 900345



- **Bottle cap NW 8 mm for secretion bottle Ardo Master**
article no. 900346

Ardo OP-Suction Pump and Accessories



- **Reusable canister for disposable secretion containers 3 liters**
article no. 900347



- **Disposable secretion containers 3 liters with gel, antimicrobial**
article no. 900348



- **Universal holder for reusable canisters**
article no. 900350



- **Bracket for Ardo Master side installation on medical rail**
article no. 900426

Optical Systems





Camera System

Control Unit

article no. 913029

CMOS

HD-Camera Head

article no. 913032

Zoom HD TV-adapter

f=15 – 36 mm

article no. 900214

Keyboard USB

article no. 900230

Keyboard USB US/EU

article no. 900313

Due to the high-resolution sensor, coupled with the specially developed image processing, it is possible, even in only dimly lit cavities, to take pictures that show natural colours and are rich in detail and in contrast.

These technical features ensure that the Full HD camera is suited for widely different applications.

Resolution

- HDTV: 1080p
- HDTV: 1080i
- HDTV: 720p
- PAL: 576i
- NTSC: 480i

Frequency

- Optional 50 or 60 Hz

Outputs

- 1 x DVI
- 1 x Component (HD-RGB, -YPbPr)
- 1 x S-Video
- 1 x Composite (PAL/NTSC)
- 2 x Remote

Camera head functions

- 3 programmable keys
- coupler is available with fixed focal lengths and zoom

By means of the PC keyboard it is possible to edit and show

- patient's records (up to 10 datasets)
- time and date
- stop watch



Objective lens, standard

	article no.
HD TV-adapter f=21 mm	900213
HD TV-adapter f=18 mm	900215



Objective lens, zoom

	article no.
Zoom HD TV-adapter f=15 - 36 mm	900214



o **Camera System**

- **Control Unit**
article no. 900370
- **4k Camera Head**
article no. 900371
- **Operator terminal 4k
Camera System (optional)**
article no. 900372

4k UHD camera system with autoclavable camera head, integrated light source and HD documentation system. Direct operation on the console via 7 inch touch, four programmable buttons on the camera head or optional remote control via a 10 inch tablet.

Resolution

- UHD: 3840 x 2160p
- HD: 1920 x 1080p

Frequency

- 59.94/60 Hz

Outputs

- UHD: DisplayPort
- HD: DVI

Camera Head

- 4 programmable keys
- fixed focus coupler

LED light source

- Colour temperature: 5700 K
- Service life: 30,000 hours
- Fibre optic connection: Storz, Wolf, Olympus, ACMI

Documentation

- Memory: integrated hard drive, network or USB
- Picture format: JPEG
- Video format: H.264

27" UHD-LCD Monitor Barco MDSC-8427




- **27" UHD-LCD-Monitor**
article no. 900373

UHD-LCD-Monitor

- native resolution Ultra HD (3840 x 2160)
- 1.07 billion colors
- angle of view (h/v) 178°/178°
- Upscaling
- picture-in-picture function

27" FHD-LCD Monitor EIZO Curator® EX2721



- **27" FHD-LCD-Monitor**
article no. 900466

FHD-LCD-Monitor

- native resolution Full HD (1920 x 1080)
- IPS technology
- 1.07 billion colours
- angle of view (h/v) 178°/178°
- picture-in-picture/
picture-by-picture function



	article no.
HD Arthroscope Ø 1.9 x 60 mm, viewing direction 30°	900309
Arthroscope lens 30°, 2.75 x 110 mm, autoclavable	900113
Arthroscope lens 30°, 2.75 x 110 mm, autoclavable, replacement	900113R
Arthroscope lens 30°, 4.0 x 175 mm, autoclavable	900004
Arthroscope lens 30°, 4.0 x 175 mm, replacement part	900004R
HD Arthroscope Ø 4.0 x 175 mm, viewing direction 30°	900256
Protective tube, autoclavable	900444




	article no.
Arthroscope sterilization basket	900091



	article no.
Arthroscopy shaft with two rotatable taps, Ø 1.9 mm, 30°	900310
Arthroscopy shaft with two rotatable taps, Ø 2.7 mm	900114
Arthroscopy shaft with two rotatable taps, Ø 4.0 mm	900014
Arthroscopy shaft with two rotatable taps, Ø 4.0 mm	900052
High-flow arthroscopy shaft with two rotatable taps, Ø 4.0 mm, 30°	900305
High-flow arthroscopy shaft with two rotatable taps, Ø 4.0 mm	900235
High-flow arthroscopy shaft, quick-lock, with two rotatable taps, Ø 4.0 mm	900252

Trocar, Obturator




	article no.
Obturator conical, blunt, Ø 1.9 mm	900311
Trocar pointed for article no. 900114	900115
Obturator conical, blunt for article no. 900114	900120
Trocar pointed for article no. 900014, 900052	900016
Obturator conical, blunt for article no. 900014, 900052	900012
Trocar pointed for article no. 900235, 900252, 900305	900236
Obturator conical, blunt for article no. 900235, 900252, 900305	900237



- **Light Source LED**
article no. 913030

Light Source LED

- high natural colour rendering with strong light intensity
- very homogeneous illumination, no edge shadowing effects or blooming
- glare shield when light conduction cable is not plugged in
- low-noise operating with minor heat development
- lifetime of bulb: approx. 30,000 hours
- setting of luminance intensity: digital in 10 steps
- light conducting cable connection: type Storz /other brands on request



Light Fiber-optic cable





- With adapter type Storz; other brands on request

	article no.		article no.
Ø 3.5 1800 mm	900037	Ø 4.8 1800 mm	900023
Ø 3.5 2300 mm	900038	Ø 4.8 2300 mm	900015
Ø 3.5 2500 mm	900039	Ø 4.8 2500 mm	900003
Ø 3.5 3000 mm	900040	Ø 4.8 3000 mm	900032
Ø 3.5 4000 mm	900041	Ø 4.8 3500 mm	900034
Ø 3.5 5000 mm	900042	Ø 4.8 4000 mm	900035
		Ø 4.8 5000 mm	900036




Standard colour: light grey

On request, the cables are also available in different colours.

Light source

		article no.
	Adapter for fiber-optic cable (light source Olympus new)	900445
	Adapter for fiber-optic cable (light source Olympus-ACMI)	900233
	Adapter for fiber-optic cable (light source Wolf/Dyonics)	900211
	Adapter for fiber-optic cable (light source Storz)	900138

Lens

		article no.
	Adapter for fiber-optic cable (lens Olympus new)	900440
	Adapter for fiber-optic cable (lens Wolf/Dyonics)	900280
	Adapter for fiber-optic cable (lens Storz)	900203



Documentation System

..... **TEAC HD Recorder UR-4MD**

article no. 900255

..... **TEAC UR-4MD DICOM KEY**

article no. 900255-DICOM-Lizenz

..... **Keyboard USB**

article no. 900230

..... **Keyboard USB US/EU**

article no. 900313

..... **Footswitch for TEAC UR-4MD**

article no. 900314

	TEAC UR-4MD
Device type	Medical HD-recording device with integrated 500 GB hard disk Recording of HD videos and freeze images. Recordings to internal hard disk, network and up to two concurrent USB sticks. Easy operation by way of the 3.5" display and the OSD. Facilitated connection due to automatic signal detection. Data loss is prevented due to memory monitoring and safe shutdown (UPS).
Video inputs	DVI, SDI, S-Video, composite
Video outputs	DVI, SDI (out/thru), S-Video, composite
Image format	JPG, DICOM
Video format	MOV (H.264 / MPEG4)
Audio inputs	Line In, microphone (3.5 mm jack plug)
Audio outputs	SDI (BNC), Line (3.5 mm jack plug)
Network operation	RJ45 10/100/1000 ethernet
Internal memory	500 GB hard disk
External memory	USB stick, USB hard disk; network drive
Other connections	2 x 3.5 mm jack plug (external trigger)
Accessories (optional)	keyboard, remote control, foot switch, bar code/card reader

Mobile Carrier System and Accessories





**Mobile carrier system
Compact-Cart 35 E**
Height 1.3 m
article no. 900301 ^{1.)}

Basic equipment:

- rear doors
- 3 shelves
- 1 drawer high
- main switch
- monitor mount
- camera head mount

Optional Equipment

- Castors with cable guard article no. 900226
- Infusion stand article no. 900223
- Sliding keyboard shelf article no. 900227
- Isolation transformer article no. 900228

Further configurations on request, e.g. monitor swivel arm article no. 900386



Mobile carrier system
Compact-Cart 40 E
Height 1.5 m
article no. 900135 ¹⁾

Basic equipment:

- rear doors
- 3 shelves
- 1 drawer high
- main switch
- monitor mount
- camera head mount

Optional Equipment

- Castors with cable guard article no. 900226
- Infusion stand article no. 900223
- Sliding keyboard shelf article no. 900227
- Isolation transformer article no. 900228

Further configurations on request, e.g. monitor swivel arm article no. 900386


Shaver Blades for Third-Party Systems

Shaver Blades for Arthrex, Conmed/Linvatec

effective length 130 mm
reusable, sterile packaging











Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	021135S	021142S	021148S	021155S	
	Full Radius Resector Sharp Cut		022742S			
	Aggressive Full Radius Resector	021335S	021342S	021348S	021355S	
	Aggressive Full Radius Resector Plus		023442S			
	Double Full Radius Resector		022542S		022555S	
	Double Aggressive Full Radius Resector		022342S		022355S	
	Conical Double Full Radius Resector		022442S			
	Full Radius Resector Small Window		022242S		022255S	
	Meniscus Cutter	021235S	021242S		021255S	

continued on page 9.2

Shaver Blades for Arthrex, Conmed/Linvatec

continued from page 9.1




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter	021535S	021542S	021548S	021555S	
	Aggressive Meniscus Cutter Plus		022142S			
	Double Meniscus Cutter		022642S		022655S	
	Aggressive Meniscus Side Cutter	021435S	021442S		021455S	
	Round Burr		021042S Ø burr 3.0 mm		021055S Ø burr 4.0 mm	021065S Ø burr 5.0 mm
	Oval Burr				021955S Ø burr 4.0 mm	021965S Ø burr 5.0 mm
	Aggressive Oval Burr				023855S Ø burr 4.0 mm	023865S Ø burr 5.0 mm
	Tapered Burr				021855S Ø burr 4.0 mm	

Shaver Blades for Arthrex, Conmed/Linvatec

effective length 130 mm. 15° bent
reusable, sterile packaging



Packing unit 5 pieces




	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Cutting window inwards		023042S		023055S	
 Aggressive Full Radius Resector Cutting window inwards		023242S		023255S	
 Aggressive Meniscus Side Cutter Cutting window outwards		023142S		023155S	

Shaver Blades for Arthrex, Conmed/Linvatec

for hip arthroscopy, cannulated. effective length 210 mm
reusable, sterile packaging








Packing unit 5 pieces

	Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
 Full Radius Resector Sharp Cut cannulated		022742HS			
 Aggressive Full Radius Resector cannulated		021342HS	021348HS	021355HS	
 Meniscus Cutter cannulated		021242HS			

continued on page 9.4

Shaver Blades for Arthrex, Conmed/Linvatec

continued from page 9.3


		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter cannulated		021542HS	021548HS	021555HS	
	Aggressive Meniscus Cutter Plus cannulated		022142HS			
	Round Burr				021055HS Ø burr 4.0 mm	
	Oval Burr				021955HS Ø burr 4.0 mm	
	Aggressive Oval Burr				023855HS Ø burr 4.0 mm	

Shaver Blades for Arthrex, Conmed/Linvatec

for hip arthroscopy, effective length 210 mm, 15° bent
reusable, sterile packaging



Packing unit 5 pieces


		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Full Radius Resector Cutting window inwards		023242HS		023255HS	

Shaver Blades for Arthrex, Conmed/Linvatec

for hip arthroscopy, single use
effective length 210 mm, 20° bent, sterile packaging



Packing unit 5 pieces

	Ø 4.2 mm article no.	Ø 4.8 mm article no.	Ø 5.5 mm article no.
 Round Burr	023642HS		
	Ø burr 5.0 mm		




For arthroscopic treatment of femoroacetabular impingement of the Cam-type.

Shaver Blades for Arthrex, Conmed/Linvatec

for small joint surgery, effective length 70 mm
reusable, sterile packaging



Packing unit 5 pieces


	Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
 Full Radius Resector	021120S	021125S	
 Aggressive Full Radius Resector	021320S	021325S	
 Round Burr		021025S Ø burr 1.8 mm	021035S Ø burr 2.5 mm



Cleaning Adapter

for reusable Linvatec,
Arthrex, Conmed/Linvatec
Shaver Blades

article no. 100007



Cleaning Set









article no. 900019

Shaver Blades for Smith & Nephew/Dyonics

effective length 130 mm
reusable











Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	01404	01405	01406	
	Full Radius Resector Sharp Cut		01420		
	Aggressive Full Radius Resector	01407	01408	01409	
	Aggressive Full Radius Resector Plus		01446		
	Double Full Radius Resector		01441	01442	
	Double Aggressive Full Radius Resector		01418	01419	
	Conical Double Full Radius Resector		01450		
	Full Radius Resector Small Window		01422	01440	

continued on page 9.7

Shaver Blades for Smith & Nephew/Dyonics

continued from page 9.6





		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Meniscus Cutter	01423	01424	01425	
	Aggressive Meniscus Cutter	01400	01401	01402	
	Aggressive Meniscus Cutter Plus		01403		
	Double Meniscus Cutter		01444	01445	
	Round Burr		01412 Ø burr 3.0 mm	01413 Ø burr 4.0 mm	01414 Ø burr 5.0 mm
	Oval Burr			01410 Ø burr 4.0 mm	01411 Ø burr 5.0 mm
	Aggressive Oval Burr			01448 Ø burr 4.0 mm	01449 Ø burr 5.0 mm
	Tapered Burr			01415 Ø burr 4.0 mm	01416 Ø burr 5.0 mm

Shaver Blades for Smith & Nephew/Dyonics

effective length 130 mm, 15° bent
reusable



Packing unit 5 pieces



		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		01434	01435	
	Aggressive Full Radius Resector Cutting window inwards		01436	01437	
	Aggressive Meniscus Cutter Plus Cutting window inwards		01447		
	Aggressive Meniscus Side Cutter Cutting window outwards		01438	01439	

Shaver Blades for Smith & Nephew/Dyonics

for hip arthroscopy, effective length 210 mm
reusable









Packing unit 5 pieces

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Sharp Cut cannulated		01420H	
	Aggressive Full Radius Resector cannulated		01408H	

continued on page 9.9

Shaver Blades for Smith & Nephew/Dyonics

continued from page 9.8


		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Meniscus Cutter cannulated	01424H		
	Aggressive Meniscus Cutter cannulated	01401H	01402H	
	Aggressive Meniscus Cutter Plus cannulated	01403H		
	Round Burr		01413H Ø burr 4.0 mm	
	Oval Burr		01410H Ø burr 4.0 mm	
	Aggressive Oval Burr		01448H Ø burr 4.0 mm	

Shaver Blades for Smith & Nephew/Dyonics

for hip arthroscopy, effective length 180 mm, 15° bent
reusable



Packing unit 5 pieces

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Full Radius Resector	01436H	01437H	
	Cutting window inwards			

Cleaning Adapter


for reusable
Smith & Nephew/Dyonics Shaver Blades

article no. 100005



Cleaning Set

article no. 900019












Shaver Blades for Aesculap

effective length 130 mm
reusable





Packing unit 5 pieces

		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector	031135	031142	031155	
	Full Radius Resector Sharp Cut		032742		
	Aggressive Full Radius Resector	031335	031342	031355	
	Double Full Radius Resector		032542	032555	
	Double Aggressive Full Radius Resector		032342	032355	
	Conical Double Full Radius Resector		032442		
	Full Radius Resector Small Window		032242	032255	
	Meniscus Cutter	031235	031242	031255	
	Aggressive Meniscus Cutter	031535	031542	031555	

continued on page 9.12

Shaver Blades for Aesculap

continued from page 9.11




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter Plus		032142		
	Double Meniscus Cutter		032642	032655	
	Aggressive Meniscus Side Cutter	031435	031442	031455	
	Trimmer	032035	032042	032055	
	Point Resector		032942		
	Round Burr		031042 Ø burr 3.0 mm	031055 Ø burr 4.0 mm	031065 Ø burr 5.0 mm
	Oval Burr			031955 Ø burr 4.0 mm	031965 Ø burr 5.0 mm
	Aggressive Oval Burr			033855 Ø burr 4.0 mm	033865 Ø burr 5.0 mm
	Tapered Burr			031855 Ø burr 4.0 mm	031865 Ø burr 5.0 mm

Shaver Blades for Aesculap

effective length 130 mm, 15° bent
reusable



Packing unit 5 pieces




		Ø 3.5 mm article no.	Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Cutting window inwards		033042	033055	
	Aggressive Full Radius Resector Cutting window inwards		033242	033255	
	Aggressive Meniscus Side Cutter Cutting window outwards		033142	033155	

Shaver Blades for Aesculap

for hip arthroscopy, effective length 200 mm
reusable








Packing unit 5 pieces

		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Full Radius Resector Sharp Cut cannulated	032742H		
	Aggressive Full Radius Resector cannulated	031342H		
	Meniscus Cutter cannulated	031242H		

continued on page 9.14

Shaver Blades for Aesculap

continued from page 9.13


		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Meniscus Cutter cannulated	031542H	031555H	
	Aggressive Meniscus Cutter Plus cannulated	032142H		
	Round Burr		031055H Ø burr 4.0 mm	
	Oval Burr		031955H Ø burr 4.0 mm	
	Aggressive Oval Burr		033855H Ø burr 4.0 mm	

Shaver Blades for Aesculap

for hip arthroscopy, effective length 200 mm, 15° bent
reusable



Packing unit 5 pieces




		Ø 4.2 mm article no.	Ø 5.5 mm article no.	Ø 6.5 mm article no.
	Aggressive Full Radius Resector Cutting window inwards	033242H	033255H	

Shaver Blades for Aesculap

for small joint surgery, effective length 70 mm
reusable, sterile packaging




Packing unit 5 pieces

		Ø 2.0 mm article no.	Ø 2.5 mm article no.	Ø 3.5 mm article no.
	Full Radius Resector	031120	031125	
	Aggressive Full Radius Resector	031320	031325	
	Round Burr		031025 Ø burr 1.8 mm	031035 Ø burr 2.5 mm

Cleaning Adapter


for reusable
Aesculap Shaver Blades

article no. 100003



Cleaning Set

article no. 900019



EBERLE GmbH & Co. KG

Dachsteinstraße 2
75449 Wurmberg
Germany
Phone +49 (0) 7044 9611-288
sales@eberle-med.com
www.eberle-med.com

